

To: CN=Jim Martin/OU=R8/O=USEPA/C=US@EPA[]
Cc: []
From: CN=Ayn Schmit/OU=R8/O=USEPA/C=US
Sent: Wed 12/12/2012 11:32:26 PM
Subject: Fw: Draft FYI
07112012 Pavillion GW Sampling & Monitoring Recommendations FINAL DRAFT for REVIEW.pdf

Here is DEQ's draft plan that was given to us back in July prior to a work group meeting. I don't know if it has been shared with the entire work group- it hasn't been presented to them or discussed. So DEQ may still consider it an internal draft document.

thanks for the positive feedback on the session this morning...

Ayn E. Schmit
Water Policy Advisor

(PH) 303-312-6220 (FAX) 303-312-7150
EPA Region 8
1595 Wynkoop Street
Denver, Colorado 80202-1129
schmit.ayn@epa.gov
----- Forwarded by Ayn Schmit/R8/USEPA/US on 12/12/2012 04:30 PM -----

From: Kevin Frederick <kevin.frederick@wyo.gov>
To: Ayn Schmit/R8/USEPA/US@EPA
Date: 07/27/2012 05:09 PM
Subject: Draft FYI

Kevin Frederick, P.G.
Manager, Groundwater Section
Water Quality Division
Wyoming Department of Environmental Quality
122 W. 25th St. - 4W
Cheyenne, WY 82002

(307) - 777- 5985

E-Mail to and from me, in connection with the transaction of public business, is subject to the Wyoming Public Records Act and may be disclosed to third parties.